

The VELUX product code system

All VELUX products use the following classification code system:

Window type

Window size

Interior finish

Exterior finish

Glazing

Operation

GGL

MK06

2070

21

GGL

MK06

2070

21

Window types		Window size	Glazing
GBL	Low pitch roof window in pine	See all sizes on VELUX size and compatibilities chart on page 170	70 2-layer glazing with rain noise reduction, laminated safety glass, UV protection and extra toughened glass
GCL	Roof window for heritage, conservation and historical buildings		
GGU	Centre-pivot roof window in white polyurethane		
GGL	Centre-pivot roof window in pine	Compatible roof windows, flashing frames, other built-in products and corresponding interior roller blinds are marked with a 'K' in the size code	68 3-layer glazing for improved energy efficiency
GGLS	Centre-pivot 2in1 or 3in1 roof window in pine		
GPLS	Top-hung 2in1 or 3in1 roof window in pine		
GPU	Top-hung roof window in polyurethane, 45°		66 3-layer glazing for high energy efficiency with easy to clean and anti-dew coatings
GPL	Top-hung roof window in pine, 45°		
GIU	Sloping extension window element in polyurethane		
GIL	Sloping extension window element in pine		67 Our best performing 3-layer glazing delivering optimal energy efficiency and indoor comfort
VIU	Fixed vertical extension window element in polyurethane		
VFE	Openable vertical window element in pine, tilt inwards		
VFA	Openable vertical window element in pine, tilt and turn inwards/left-hinged	0 White polyurethane 2 White painted wood 3 Clear lacquered pine	
VFB	Openable vertical window element in pine, tilt and turn inwards/right-hinged		
GDL	Roof balcony in pine		
GEL	Top-hung roof terrace section in pine	0 Aluminium	
VEA	Left-hinged vertical roof terrace section in pine		
VEB	Right-hinged vertical roof terrace section in pine		
VEC	Fixed vertical roof terrace section in pine		
GVT	Side-hung craftsman's roof exit for uninhabited rooms (black polyurethane)		
TWF/TLF	Flexible sun tunnel		
TWR/TLR	Rigid sun tunnel		
CVU	Solar or electric flat roof window		
CFU	Fixed flat roof window		
CSP	Flat roof smoke ventilation window		
CXP	Flat roof exit window, 60°		

Compatibility table

Window generation	Size window	BLINDS	ANTI-HEAT BLINDS		ANTI-HEAT BLACKOUT BLINDS	ANTI-HEAT BLACKOUT SHUTTERS
		Blinds	Manual (MHL)	Solar (MSL) and Electric (MML)	Solar (SSS)	Solar (SSL) and Electric (SML)
Since 2014 New Generation 	CK01	CK01	CK00	CK01	CK01	CK01
	CK02	CK02	CK00	CK02	CK02	CK02
	CK04	CK04	CK00	CK04	CK04	CK04
	CK06	CK06	CK00	CK06	CK06	CK06
	FK06	FK06	FK00	FK06	FK06	FK06
	FK08	FK08	FK00	FK08	FK08	FK08
	MK04	FK08	FK00	MK04	FK08	MK04
	MK06	MK06	MK00	MK06	MK04	MK06
	MK08	MK06	MK00	MK08	MK06	MK08
	PK04	MK08	MK00	PK04	MK08	PK04
	PK06	PK04	PK00	PK06	PK04	PK06
	PK08	PK06	PK00	PK08	PK06	PK08
	PK10	PK08	PK00	PK10	PK08	PK10
	SK01	PK10	PK00	SK01	PK10	SK01
	SK06	SK01	SK00	SK06	SK01	SK06
	SK08	SK06	SK00	SK08	SK06	SK08
	UK04	SK08	SK00	UK04	SK08	UK04
	UK08	UK04	UK00	UK08	UK04	UK08
	UK08	UK08	UK00	UK08	UK08	UK08
	C01	UK08	UK00	UK08	UK08	UK08
Since 2001 V21 	C02	C01	CK00	CK01	CK01	CK01
	C04	C02	CK00	CK02	CK02	CK02
	C06	C04	CK00	CK04	CK04	CK04
	F06	C06	CK00	CK06	CK06	CK06
	F08	F06	FK00	FK06	FK06	FK06
	M04	F08	FK00	FK08	FK08	FK08
	M06	M04	MK00	MK04	MK04	MK04
	M08	M06	MK00	MK06	MK06	MK06
	P04	M08	MK00	MK08	MK08	MK08
	P06	P04	PK00	PK04	PK04	PK04
	P08	P06	PK00	PK06	PK06	PK06
	P10	P08	PK00	PK08	PK08	PK08
	S01	P10	PK00	PK10	PK10	PK10
	S06	S01	SK00	SK01	SK01	SK01
	S08	S06	SK00	SK06	SK06	SK06
	U04	S08	SK00	SK08	SK08	SK08
	U08	U04	UK00	UK04	UK04	UK04
	101	U08	UK00	UK08	UK08	UK08
	102	101	100	CK01	CK01	CK01
	104	102	100	CK02	CK02	CK02
Between 1992 and 2000 VES 	206	104	100	CK04	CK04	CK04
	304	206	200	FK06	FK06	FK06
	306	M04	MK00	MK04	MK04	MK04
	308	M06	MK00	MK06	MK06	MK06
	404	M08	MK00	MK08	MK08	MK08
	406	P04	PK00	PK04	PK04	PK04
	408	P06	PK00	PK06	PK06	PK06
	410	P08	PK00	PK08	PK08	PK08
	601	P10	PK00	PK10	PK10	PK10
	606	S01	SK00	SK01	SK01	SK01
	608	S06	SK00	SK06	SK06	SK06
	804	S08	SK00	SK08	SK08	SK08
	808	U04	UK00	UK04	UK04	UK04
	9	U08	UK00	UK08	UK08	UK08
	6	C01	CK00	CK01	CK01	CK01
	5	C04	CK00	CK04	CK04	CK04
	1	5	5	5	5	5
	14	M04	MK00	MK04	MK04	MK04
	2	M06	MK00	MK06	MK06	MK06
	3	M08	MK00	MK08	MK08	MK08
Before 1992 VKI 	31	P10	PK00	PK10	PK10	PK10
	4	P04	PK00	PK04	PK04	PK04
	10	S06	SK00	SK06	SK06	SK06
	7	S08	SK00	SK08	SK08	SK08
	8	U04	UK00	UK04	UK04	UK04
		U08	UK00	UK08	UK08	UK08

Size and replacement

Looking to replace your existing VELUX roof window?
Use the size guide to locate your current window code
and the replacement code.

Using our size guide

VELUX current size code

VELUX roof window type

VELUX older generation
roof window size code

MK06	
GGL	
GPL	14
GGU	306
GPU	M06

Roof windows

External frame sizes (w x h) mm

	472	550	660	780	942	1140	1340
550					GGL PK25 425 P25		
624				GGL MK27 M27			
698		GGL CK01 101 GGL C01 CK02				GGL SK01 60 1 S0 1	
778		GGL GGU 102 C02					
978	GGL GPL GGU GPU B04	GGL GPL GGU GPU 104 C04 CK06	GGL GPL GGU GPU 204 F04	GGL GPL GGU GPU 304 M04	GG L GPL P04		GGL GPL GGU 804 U04
1178	GGL GPL GGU GPU C06	GGL GPL GGU GPU 206 F06	GGL GPL GGU GPU 306 M06	GGL GPL GGU GPU 406 P06		GGL GPL GGU GPU 606 S06	GGL
1398			GGL GPL GGU GPU F08	GGL GPL GGU GPU 2 308 M08	GGL GPL GGU GPU 408 P08	GGL GPL GGU GPU 608 S08	GGL GPL GGU GPU 808 U08
1600				GGL GPL GGU GPU 13 310 M10	GGL GPL GGU GPU 3 410 P10	GGL GPL GGU GPU 61 0 S1 0	GGL GPL GGU 810 U1 0
1800				GGL MK12 312 M12			

* GGL 5 is 700mm wide

Roof terrace

External frame sizes (w x h) mm

	780
1360	GEL M08 308
1090	VEA VEB VEC M35 335

Cold room windows

External frame sizes (w x h) mm

	460	540
610	GVK	
830		103 GVT

2in1 and 3in1 roof windows

External frame sizes (w x h) mm

	1270	1390	1510	1552	1880
1178	GGLS GPLS FFK06	GGLS GPLS FMK06	GGLS GPLS MMK06	GGLS GPLS FPK06	GGLS GPLS FFKF06
1398	GGLS GPLS FFK08	GGLS GPLS FMK08	GGLS GPLS MMK06	GGLS GPLS FPK08	GGLS GPLS FFKF08

Heritage conservation roof windows

External frame sizes (w x h) mm. When installing, additional 20 mm are required
around the frame for the pre-installed insulation material

	550	660	780	942	1140
978	GCL CC04				
1178	GCL CC06	GCL FC06	GCL MC06		
1398		GCL FC08	GCL MC08	GCL PC08	GCL SC08
1600					GCL SC10

Roof balcony

External frame sizes (w x h) mm

	780	942	1140
2520	GCL MK19 (MK10) (MK34)	GCL PK19 (PK10) (PK34)	GCL SK19 (S K 10) (SK34)

Sloping extension elements


External frame sizes (w x h) mm

	472	550	660	780	942	1140	1340
920			GIL GIU FK34	GIL GIU MK34 334 M34	GIL GIU PK34 434 P34	GIL GIU SK34 634 S34	GIL GIU UK34 834 U34




FSC® certification supports good forest management
where the health and safety of forest workers is
secured and forest wildlife is well looked after.

Flat roof sun tunnel Ø 350 Ø, mm




OK14
TCF

Sun tunnel Ø 350 Ø, mm



OK14
TWR
TLR
TWF
TLF

Sun tunnel Ø 250 Ø, mm



OK10
TWR
TLR

Flat roof windows

Available sizes (w x h) mm

	600	800	900	1000	1200	1500	2000
600	060060 CFPCVP CFJ CVJ CFU CVU		090060 CFJ CVJ CFU CVU				200060 CFU CVU
800		080080 CFP CVP CFJ CVJ CFU CVU				150080 CFU CVU	
900	060090 CFP CVP		090090 CFP CVP CFJ CVJ CFU CVU		120090 CFJ CVJ CFU CVU		
1000				10 010 0 CFP CVP CXP CSP CFJ CVJ CFU CVU		150100 CFJ CVJ CFU CVU	20 010 0 CFJ CVJ CFU CVU
1200			090120 CFP CVP CXP		1 201 20 CFP CVP CXP CFJ CVJ CFU CVU	150120 CFU CVU	
1500				100150 CFP CVP		1 501 50 CFP CVP CFJ CVJ CFU CVU	

Base unit height 150 mm: CFP, CVP, CXP, CSP, CFU, CVU, CFJ, CVJ
Base unit height 300 mm: CFJ, CVJ
Base unit height 500 mm: CFJ, CVJ
CFJ/CVJ 200100 only base unit height 150 mm

Vertical elements

External frame sizes (w x h) mm

	780	942	1140	1340
601	MK31 VFE 1/2-60 VIU 331 M31	PK31 VFE 431 VIU 3-60 P31	SK31 VFE 631 VIU 4/10-60 S31	UK31 VFE 831 VIU 7/8-60 U31
955	MK35 VFE 1/2-95 VFA 334 VFB 334 VIU M34	PK35 VFE 434 VFA 3-95 P34 VFB 334 VIU	SK35 VFE 634 VFA 4/10-95 S34 VFB 334 VIU	UK35 VFE 834 VIU 7/8-60 U34
1155	MK36 VFE 1/2-115 VFA 336 VFB 336 VIU M36	PK36 VFE 436 VFA 336 VFB 336 VIU P36	SK36 VFE 636 VFA 336 VFB 336 VIU S36	UK36 VFE 836 VIU
1375	MK38 VFE 338 VFA 338 VFB 338 VIU M38	PK38 VFE 438 VFA 338 VFB 338 VIU P38	SK38 VFE 638 VFA 338 VFB 338 VIU S38	UK38 VFE 838 VIU

VELUX Company Ltd
Woodside Way
Glenrothes
Fife
Scotland
KY7 4ND

Tel: 01592 778 225

Email: sales@velux.co.uk
Website: velux.co.uk

facebook.com/VELUXGBI
twitter.com/VELUXGBI
pinterest.com/VELUXGBI
instagram.com/VELUX



TRANSFORMING
SPACES